



HOISTWAY ELEVATION DRAWING




Hoist Way Machine Room Size
PASSENGER LIFT WITH MANUALLY OPERATED DOORS


LOAD		LIFT WELL		CAR INSIDE		ENTRANCE	MACHINE ROOM		
PERSON	WEIGHT	WIDTH	DEPTH	WIDTH	DEPTH		WIDTH	DEPTH	HEIGHT
IN KG.		A	B	C	D	E	F	G	H
4	272	1600	1250	1100	700	700/800	3000	3000	2500
5	340	1600	1300	1100	850	700/800	3000	3200	2500
6	408	1670	1370	1100	1000	700/800	3000	3500	2500
8	544	1800	1600	1300	1100	700/800	3200	3500	2500
10	680	1850	1800	1350	1300	800/1000	3500	4000	2500
13	884	2500	1600	2000	1100	1000	4000	4200	2500
16	1088	2500	1800	2000	1300	1000	4500	4800	2500
20	1360	2500	2050	2000	1550	1000	5000	5000	2500

All Dimension are in mm. This is General Data, it may be changed without notice. All hoist way walls should be minimum 230 mm brick or 150 mm R. C. C.

HOISTWAY ELEVATION DRAWING



HOISTWAY MACHINE ROOM PLAN FOR AUTO DOOR



Hoist Way Machine Room Size
PASSENGER LIFT WITH AUTO DOORS

LOAD		LIFT WELL		CAR INSIDE		ENT RANCE	MACHINE ROOM			UP TO 1.5 M/Sec.		UP TO 2.5 M/Sec.	
PERSON	WEIGHT	WIDTH	DEPTH	WIDTH	DEPTH		WIDTH	DEPTH	HEIGHT	PIT	O.H.	PIT	O.H.
IN KG.		A	B	C	D	E	F	G	H	K	M	K	M
6	408	1900	1650	1100	1000	700/800	3000	3500	2500	1600	4800	2600	6700
8	544	1900	1900	1300	1100	700/800	3200	3500	2500	1600	4800	2600	6700
10	680	1900	2000	1350	1300	700/800	3500	4000	2500	1600	4800	2600	6700
13	884	2500	1900	2000	1100	800/1000	4000	4200	2500	1600	4800	2600	6700
16	1088	2500	2000	2000	1300	800/1000	4500	4800	2500	1600	4800	2600	6700
20	1360	2500	2300	2000	1550	800/1000	5000	5000	2500	1600	4800	2600	6700

All Dimension are in mm. This is General Data, it may be changed without notice. All hoist way walls should be minimum 230 mm brick or 150 mm R. C. C.